



Echoscan  
US-800



# US-800 Specifications

Axial length measurement	
Probe	10 MHz solid probe
Internal fixation	LED (red)
Measuring method	Ultrasonic pulse reflection
Measuring time	0.5 sec.
Measurable value	Axial length, anterior chamber depth, lens thickness, vitreous body length
Clinical accuracy	±0.1 mm
Measuring range	15 to 40 mm
Amplifier gain	Changeable
Converted ultrasonic velocity	Phakic eye 1,550 m/s (Axial length) 1,532 m/s (Anterior chamber and vitreous body) 1,641 m/s (Lens) Aphakic eye 1,532 m/s (Axial length) IOL implanted eye 1,554 m/s (Axial length)
Display resolution	0.01 mm
Calculation function	
Built-in IOL formula	SRK, SRK-II, SRK-T, BINKHORST, HOLLADAY
Calculation accuracy	±0.01 D
Display function	
Display	LCD with back-light
Contents	A-mode waveform, measured value, input value, calculation value, ID information etc.
Printing function	
Printer	Thermal type
Contents	Same as the ones shown in the display function
Power requirements	100, 120, 220, 240 VAC, 50/60 Hz, 50 VA or less
Dimensions / Weight	322 (W) x 320 (D) x 100 (H) mm, 5 kg 12.7 (W) x 12.6 (D) x 3.9 (H) ", 11 lbs.
Standard accessories	Axial length measuring probe Foot pedal Power cord Dust cover Test piece Printer paper
Optional accessories	Probe stand Probe adapter for slit lamp (for NIDEK / HAAG STREIT) Probe adapter for slit lamp (for NEITZ) Setting adapter for ZEISS slit lamp* Wagon

\*The setting adapter for ZEISS slit lamp is used for the probe adapter for NIDEK / HAAG STREIT slit lamp to be attached on ZEISS slit lamp.

Specifications and design are subject to change without notice.



**HEAD OFFICE**  
34-14 Maehama, Hiroishi  
Gamagori, Aichi, 443-0038, Japan  
Telephone : +81-533-67-6611  
Facsimile : +81-533-67-6610  
URL : <http://www.nidek.co.jp>  
[Manufacturer]

**TOKYO OFFICE**  
(International Div.)  
3F Sumitomo Fudosan Hongo Bldg.,  
3-22-5 Hongo, Bunkyo-ku, Tokyo,  
113-0033, Japan  
Telephone : +81-3-5844-2641  
Facsimile : +81-3-5844-2642  
URL : <http://www.nidek.com>

**NIDEK INC.**  
47651 Westinghouse Drive  
Fremont, CA 94539, U.S.A.  
Telephone : +1-510-226-5700  
                  : +1-800-223-9044 (US only)  
Facsimile : +1-510-226-5750  
URL : <http://usa.nidek.com>

**NIDEK S.A.**  
Europarc  
13, rue Auguste Perret  
94042 Créteil, France  
Telephone : +33-1-49 80 97 97  
Facsimile : +33-1-49 80 32 08  
URL : <http://www.nidek.fr>

**NIDEK TECHNOLOGIES Srl**  
Via dell'Artigianato, 6 / A  
35020 Albignasego (Padova), Italy  
Telephone : +39 049 8629200 / 8626399  
Facsimile : +39 049 8626824  
URL : <http://www.nidektechnologies.it>

